

MSDS#: DEE013111-WME

#### Material Safety Data Sheet APF FLUORIDE FOAM 60 SECONDS Page 1 of 5

## Section 1 – Identification

**Product Name:** Gelato Acidulate Phosphate

Fluoride Foam (Various Flavors)

Sodium Fluoride

Manufacturer: Deepak Products LLC.

5220 N.W. 72<sup>nd</sup> Avenue Miami, FL 33166

Information Contacts: (305)-482-9669 **Toll Free:** 1-877-8-DEEPAK

Emergency Phone Numbers: US & Canada 1 (877 ) 8-DEEPAK

Family: Fluoride Treatment

**Product Use:** Professional Dental Preventive Care

**Product #: Various** 

**Active Ingredient:** 

### Section 2 – Hazards Identification

#### **EMERGENCY OVERVIEW**

This information is based on findings from related or similar materials.

- Will cause eye irritation.
- May cause skin irritation.
- Prolong exposure may cause respiratory system irritation.
- Ingestion of large amounts may cause nausea, vomiting, headaches, or dizziness.
- Please read entire MSDS for additional information.





## Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry Inhalation, skin, and ingestion.

Eye Vapors are irritating to the eyes. Splashes may cause redness of the eye.

Skin Repeated/prolonged contact may cause mild irritation of the skin. Symptoms include redness,

burning, or itching.

Ingestion Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing

large amounts may be harmful. Symptoms include irritation of the throat, nausea, dizziness, and upset

stomach.

If fine small particles are inhaled, irritation of the throat with a feeling of tightness in the chest may Inhalation

occur

NOTE: Refer to Section 11, Toxicological Information for Details

### Section 3 – Composition/Information on Ingredients

| Chemical<br>Identity | CAS<br>Numbers | EINECS#   | INCI Name       | <b>Exposure OSHA</b>      | Limits ACGIH               | Carcinogen    | %   |
|----------------------|----------------|-----------|-----------------|---------------------------|----------------------------|---------------|-----|
| v                    |                |           |                 | TWA/STEL                  | TWA/STEL                   | IARC/NTP/OSHA |     |
| Phosphoric Acid      | 7664-38-2      | 231-633-2 | Phosphoric Acid | $TWA = 1 \text{ mg/ m}^3$ | $TWA = 1 \text{ mg/ m}^3$  | Not listed    | 1-5 |
|                      |                |           |                 |                           | $STEL = 3 \text{ mg/ m}^3$ |               |     |
| Triethanolamine      | 102-71-6       | 203-049-8 | Triethanolamine | N/E                       | $TWA = 5 \text{ mg/ m}^3$  | Not listed    | 1-5 |
| Sodium Fluoride      | 7681-49-4      | 231-667-8 | Sodium          | TWA = 3ppm /              | 2.5 mg / m^3               | Not Listed    | 1-3 |
|                      |                |           | Fluoride        | 6ppm                      |                            |               |     |

N/E - None N/DA - No Data Available Established N/A - Not Applicable N/R - Not Reviewed

(items in parenthesis relate to 1999/45/EC)

Phosphoric Acid: Danger Symbol – GHS05 (C) Hazard Statement – H314 (R34) Precautionary Statement - P102 (S1/2), P305+334

Sodium Fluoride: Danger Symbol – GHS06 (T), GHS07 (Xi)

Hazard Statement - H301 (R25), EUH032 (R32), H315 (R38), H319 (R36) Precautionary Statement - P102 (S2), P260 (S23), P280 (S36/37/39), P309+314 (S45)

Triethanolamine: Danger Symbol – GHS07 (Xi) Hazard Statement - H319 (R36) Precautionary Statement - P102 (S2), P361 (S27), P280 (S36/37), P280

(S39), P301+315 (S46)

(S26), P309+314 (S45)

See Section 16 for Hazard and Precautionary Statement Key.

#### Section 4 – First Aid Measures

First Aid for Eye Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.



MSDS#: DEE013111-WME

# Material Safety Data Sheet APF FLUORIDE FOAM 60 SECONDS Page 2 of 5

First Aid for Skin Wash thoroughly with soap and water. Remove contaminated clothing. Get medical help if discomfort

persists.

First Aid for Ingestion If greater than normal dose is swallowed, do not induce vomiting. Drink large quantity of water or

milk. Seek medical attention.

First Aid for Inhalation Move to fresh air. If having breathing difficulty, give oxygen. Seek medical attention if discomfort

persists.

## Section 5 – Fire Fighting Measures

| Flash Point (°F/°C) | Flammable Limit (vol%) | Auto-ignition Temperature (vol%) |
|---------------------|------------------------|----------------------------------|
| N/A                 | N/A                    | N/A                              |

**Method:** 

Extinguishing Media: Carbon dioxide, dry chemical foam

Fire Fighting During a fire, irritating or highly toxic gases may be generated by thermal decomposition. If potential Instructions: for exposure, wear complete personal protective equipment including self contained breathing

apparatus, with full face operated in pressure demand.

Unusual Hazards: Water maybe used on fogging nozzles to prevent pressure buildup (if exposed to extreme

temperatures). Container may explode if exposed to fire.

### Section 6 – Accidental Release Measures

Spill or Release Procedures Minor spills - Clean up immediately, avoid contact with skin and eyes. Mop / wipe area and clean with soapy water

Major spills - Clear area of personnel. Restrict access to area. Avoid contact with skin and eyes, and dilute area with soapy

water. Collect contaminated water and dispose of properly.

See section 8 & section 12.

### Section 7 – Handling and Storage

Handling Limit all unnecessary personal contact. Avoid breathing vapors. Wear appropriate PPE.

Storage Store in a cool, well ventilated area away from heat, sparks and flame. Keep containers closed when

not in use. Keep in original container provided by manufacturer.

Explosion Hazard None.

## Section 8 – Exposure Controls / Personal Protection

Engineering

General exhaust is adequate under normal operating conditions.

Controls

**Personal Protective Equipment** 

General To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a

hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard

EN166 be conducted before using this product.

Eye/ Face Safety glasses / goggles or splash shields are required when handling. Ensure eye bath is on hand.

Protection

Skin Protection Use impermeable clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole

body suit

Respiratory

In case of insufficient ventilation, wear suitable respiratory equipment.

Protection

### Section 9 – Physical and Chemical Properties

| <b>Appeara</b><br>Foam           | nce                         | Odor & Odor Threshold PF Odor of Stated Flavor N/ |               |                    | fic Gravity<br>0 = 1): N/A | Viscosity<br>N/A    |            | olatile<br>/A                    |
|----------------------------------|-----------------------------|---|---------------|--------------------|----------------------------|---------------------|------------|----------------------------------|
| Boiling Point/<br>Freezing Point | Decomposition<br>Temperatur |   | Coefficient 1 | Vapor<br>Pressure: | Vapor<br>Density           | Evaporation<br>Rate | Ignition   | Solubility<br>In Water<br>(20°C) |
| N/Δ                              | N/DA                        | N/D   | Δ             | $N/\Delta$         | $NI/\Delta$                | N/Δ                 | $N/\Delta$ | $N/\Delta$                       |



MSDS#: DEE013111-WME

# Material Safety Data Sheet APF FLUORIDE FOAM 60 SECONDS Page 3 of 5

| Flash Point (°F/°C) | Flammable Limit (vol%) | Auto-ignition Temperature (vol%) |
|---------------------|------------------------|----------------------------------|
| N/A                 | N/A                    | N/A                              |

## Section 10 – Stability and Reactivity

Stability: Incompatibility (Materials to Avoid):

Stable Strong Acids

Hazardous Decomposition Products: Hazardous Polymerization:

Toxic Fumes (HF) Will not occur

Conditions to Avoid: Heat and incompatible materials

## Section 11 – Toxicological Information

| <b>Acute Oral Toxicity</b> | <b>Acute Dermal Toxicity</b> | Acute Inhalation Toxicity | Irritation – skin | Irritation – Eye |
|----------------------------|------------------------------|---------------------------|-------------------|------------------|
| N/DA                       | N/DA                         | N/DA                      | N/DA              | N/ DA            |

| Sensitization | Mutagenicity | Sub-chronic Toxicity |  |
|---------------|--------------|----------------------|--|
| N/ DA         | N/DA         | N/ DA                |  |

### Section 12 – Ecological Information

**Ecotoxicological Information** 

| Acute Toxicity to Fish | Acute Toxicity to Invertebrates | Acute Toxicity to Algae | Bioconcentration | Toxicity to<br>Sewage Bacteria |
|------------------------|---------------------------------|-------------------------|------------------|--------------------------------|
| N/DA                   | N/ DA                           | N/ DA                   | N/ DA            | N/ DA                          |

#### **Chemical Fate Information**

| Biodegradability       | Biodegradable. This material is not expected to significantly bio-accumulate. |
|------------------------|---|
| Chemical Oxygen Demand | N/ DA   |

## Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

## Section 14 – Transport Information

| DOT (40 CED 172)                            |   |
|---|---|
| DOT (49 CFR 172)                            |   |
| Proper Shipping Name:                       | UN1950, Aerosols (non-flammable), 2.2, N/A                                    |
| Identification Number:                      | UN1950  |
| Marine Pollutant:                           | No  |
| Special Provisions:                         | N/A   |
| Emergency Response Guidebook (ERG) #:       | 126   |
| IATA (DGR):                                 |   |
| Proper Shipping Name:                       | UN1950, Aerosols (non-flammable), 2.2, N/A                                    |
| Class or Division:                          | 2.2   |
| UN or ID Number:                            | UN1950  |
| Packaging Instructions:                     | N/A   |
| <b>Emergency Response Guidance (ICAO)#:</b> |   |
| IMO (IMDG):                                 |   |
| Proper Shipping Name:                       | UN1950, Aerosols (non-flammable), 2.2, N/A                                    |
| Class or Division:                          | 2.2   |
| UN or ID Number:                            | UN1950  |
| Special Provisions & Stowage/Segregation:   | N/A   |
| Emergency Schedule (EmS)#:                  | N/A   |
| Other Information:                          | This product can qualify as a consumer commodity (limited quantity exception) |





# Material Safety Data Sheet APF FLUORIDE FOAM 60 SECONDS Page 4 of 5

| Section 15 – Regulatory Info             | rmation   |
|--|---|
| <b>US Federal Regulations</b>            |   |
| Clean Air Act: HAP/ODS                   | This product contains the following HAP's or ODS:  NONE   |
| Clean Water Act: Priority                | This product contains the following chemicals listed under the U. S. Clean Water Act  |
| Pollutant                                | Priority Pollutant and Hazardous Substance List:  |
|  | • None  |
| FDA: Food Packaging Status               | This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food-packaging additive.  |
| Occupational Safety and Health           | This product is considered to be hazardous under the OSHA Hazard Communication  |
| Act                                      | Standard. It's hazards are:   |
|  | • Triethanolamine CAS #102-71-6 (Eye Irritant)  |
| D GD 4                                   | Phosphoric Acid CAS # 7664-38-2 (Corrosive)  This is a second control of the |
| RCRA                                     | This product contains the following chemicals considered to be hazardous waste under  |
|  | RCRA (40 CFR 261).  |
| CADA T'(1. HI. C. (1 202 (DO)            | • None  |
| SARA Title III: Section 302 (RQ)         | This product contains no chemicals regulated under Section 302 as extremely hazardous substances.   |
| SARA Title III: Section 302              | This product contains chemicals regulated under Section 304 as extremely hazardous  |
| (TPQ)                                    | chemicals for emergency release notification ("CERCLA" List):   |
| GARA Tid W G d 211 212                   | Sodium Fluoride – CAS #7681-49-4 1000 # RQ    Column  |
| SARA Title III: Section 311-312:         | This product is considered to be hazardous under the OSHA Hazard Communication  |
|  | Standard and is regulated under Section 311-312 (40 CFR 370). It's hazards are:  • Sodium Fluoride – CAS# 7681-49-4 (Corrosive)   |
|  | • Triethanolamine CAS #102-71-6 (Eye Irritant)  |
|  | Phosphoric Acid CAS #7664-38-2 (Corrosive)  |
| SARA Title III: Section 313:             | This product contains the following chemicals which are subject to the reporting  |
| Start The III. Section 313.              | requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization  |
|  | Act of 1986 and 40 CFR Part 372:  |
|  | • None  |
| TSCA Section 8(b): Inventory:            | This product does contain chemicals listed on the TSCA inventory or otherwise complies  |
|  | with TSCA pre-manufacture notification requirements.  |
| TSCA Significant New Use Rule:           | • Sodium Fluoride – CAS# 7681-49-4  |
|  | • Triethanolamine CAS #102-71-6   |
|  | Phosphoric Acid CAS #7664-38-2  No. 1011  |
| CA-A- Dl-4'                              | None of the chemicals in this material have a SNUR under TSCA.  |
| State Regulations  CA Right-to-Know Law: | Sodium Fluoride – CAS# 7681-49-4  |
| California No Significant Risk           | None  |
| Rule:                                    |   |
| MA Right-to-Know Law:                    | Sodium Fluoride – CAS# 7681-49-4  |
|  | Triethanolamine CAS #102-71-6   |
|  | Phosphoric Acid CAS # 7664-38-2   |
| NJ Right-to-Know Law:                    | Sodium Fluoride – CAS# 7681-49-4<br>Triethanolamine CAS #102-71-6   |
|  | Phosphoric Acid CAS # 7664-38-2   |
| PA Right-to-Know Law:                    | Sodium Fluoride – CAS# 7681-49-4  |
|  | Triethanolamine CAS #102-71-6   |
| El Distance V                            | Phosphoric Acid CAS # 7664-38-2   |
| FL Right-to-Know Law:                    | Sodium Fluoride – CAS# 7681-49-4 Sodium Fluoride – CAS# 7681-49-4   |
| MN Right-to-Know Law:                    | Sodium Fluoride – CAS# 7681-49-4 Triethanolamine CAS #102-71-6  |
|  | Phosphoric Acid CAS # 7664-38-2   |
| <b>International Regulations</b>         |   |
| CDSL: Canadian Inventory                 | Sodium Fluoride – CAS# 7681-49-4  |
| (on Canadian Transitional List)          | Triethanolamine CAS #102-71-6  Phosphoria Asid CAS #7664 28 2   |
|  | Phosphoric Acid CAS # 7664-38-2   |



# Material Safety Data Sheet APF FLUORIDE FOAM 60 SECONDS Page 5 of 5

Labeling according to EC directives - 1272/2008 (CLP) AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:



### For Gelato APF Fluoride Foam 60 Seconds (finished product):

- DANGER SYMBOLS: **GHS07** (**Xi**) Warning / Irritant
- HAZARD STATEMENT: **H316** (N/A), Causes mild skin irritation. **H319** (R36), Causes serious eye irritation. **H335** (R37), May cause respiratory irritation. **H303** (N/A), May be harmful if swallowed.
- PRECAUTIONARY STATEMENT: P102 (S2), Keep out of reach of children. P210 (S15), Keep away from heat/sparks/open flames/hot surfaces. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention.

### Section 16 – Other Information

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

(items in parenthesis relate to 1999/45/EC)


**Danger Symbols:** 

GHS06 (T) - Toxic. GHS07 (Xi) - Warning / Irritants. GHS05 (C) - Corrosive

Hazard Statement: H301 (R25), Toxic if swallowed. H314 (R34), Causes severe skin burns and eye damage. H315 (R38), Causes skin irritation. H316 (N/A) Causes mild skin irritation. H319 (R36), Causes serious eye irritation. H335 (R37), May cause respiratory irritation. H336 (R67), May cause drowsiness or dizziness. EUH032 (R32), Contact with acid liberates very toxic gas. H303 (N/A), May be harmful if swallowed.

Precautionary Statement: P102 (S1 or S2), Keep out of reach of children. P210 (S15), Keep away from heat/sparks/open flames/hot surfaces. P260 (S23), Do not breathe dust/fume/gas/mist/vapors/spray. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P305+334 (S26), In case of contact with eyes, rinse immediately with water. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention. P404 (S7), Store in a closed container. P403+235 (S3/9), Store in a well ventilated place. Keep cool. P361 (S27), Remove/ Take off immediately all contaminated clothing. P301+315 (S46), If swallowed, get immediate medical advice / attention.

Hazard Rating System (Pictograms)



| MSDS Prepared by: | WME              |
|-------------------|------------------|
| Revision History: | 01/31/11 Initial |

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable.

Deepak components are provided on an as is basis without warranties of any kind either expressed or implied. Deepak does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Deepak components.